

The following chart details the opening sizes of slots for distributor systems and screens.

| Inches | Microns | U.S. STD. Mesh * |
|--------|---------|------------------|
| .0002 | 5 | -- |
| .0006 | 15 | 1000 |
| .001 | 25 | -- |
| .0012 | 30 | 500 |
| .0015 | 37 | 400 |
| .002 | 50 | 270 |
| .0024 | 61 | 250 |
| .003 | 75 | 200 |
| .004 | 100 | 150 |
| .005 | 125 | 120 |
| .006 | 149 | 100 |
| .007 | 177 | 80 |
| .008 | 200 | 70 |
| .010 | 250 | 60 |
| .012 | 305 | 50 |
| .014 | 355 | 45 |
| .016 | 400 | 40 |
| .020 | 500 | 35 |
| .023 | 590 | 30 |
| .028 | 710 | 25 |
| .033 | 840 | 20 |
| .039 | 1000 | 18 |
| .047 | 1190 | 16 |
| .055 | 1410 | 14 |
| .066 | 1680 | 12 |
| .094 | 2380 | 8 |
| .111 | 2790 | 7 |
| .132 | 3330 | 6 |
| .157 | 4000 | 5 |

*Note: The higher the Mesh number, the “finer” job of filtration it will do.